

EARLY METAL AGE POTTERY FROM FATU AKI ANIK KNUA, TIMOR-LESTE AND THE APPEARANCE OF CERAMICS IN THE WALLACEAN ISLANDS

SUPPLEMENTARY FILE 4: FAAK OPEN SITE CATALOGUE—DECORATED BODY SHARDS

Phillip Beaumont

PhD Candidate, Archaeology and Natural History, College of Asia and the Pacific, Australian National University, Canberra ACT 2600 Australia.

Email: phillip.beaumont@anu.edu.au

Sue O'Connor

Distinguished Professor, Archaeology and Natural History, College of Asia and the Pacific, Australian National University, Canberra ACT 2600 Australia.

Email: sue.oconnor@anu.edu.au

Mathieu Leclerc

Lecturer in Pacific Archaeology, Archaeology and Anthropology, College of Arts and Social Sciences, Australian National University, Canberra ACT 2600 Australia.

Email: mathieu.leclerc@anu.edu.au

This catalogue presents descriptions and observations on 128 diagnostic decorated body shards from the Faak Open site. It provides a discrete description of each decorated piece consistent with standard analytical methods for documenting decorated ceramics (Best 1985; Galle and Neiman 2016; Rice 1987). The catalogue features details including:


- photographs
- reference and excavation details
- vessel part/position
- pattern/motifs—description of individual piece
- technique—incised, impressed, punctation, notching, appliqué
- key measurements—weight, thickness
- fabric type—fine, medium-fine, medium, medium-coarse, coarse
- preservation condition—fresh, average, worn, very worn
- firing—even, uneven
- color—Munsell (2000) reference and color
- surface treatment—none, (description of applied color).


Where an applied surface color is deemed to be apparent, it has been described generically in the catalogue as red, yellow, light brown, etc. There is significant variation in surface colors between shards and sometimes on a single shard. The Munsell reference and color assessment provide more precise detail on the most prominent or characteristic surface color of a shard.


REFERENCES


- Best, S.B. 1985. Lakeba: The Prehistory of a Fijian island. Unpublished Ph.D. thesis. Auckland: University of Auckland.
- Galle, J. and F. Neiman. 2016. *DAACS Cataloging Manual: Ceramics*. Monticello: DAACS Research Consortium.
- Munsell Color. 2000. *Munsell Soil Color Charts*. New York.
- Rice, P.M. 1987. *Pottery Analysis: A Sourcebook*. Chicago: University of Chicago Press.


Spit 1

OS:1-03		
<i>shard type</i>	Decorated—body	
<i>spit</i>	1	
<i>vessel part/position</i>	unknown; wall	
<i>pattern/motif</i>	parallel lines, dots in between	
<i>technique</i>	incised; punctation	
<i>weight (gm)</i>	3.2	
<i>thickness (mm)</i>	5.82	
<i>fabric</i>	medium-coarse	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	5YR 5/1 gray (outside); 5YR 4/6 yellowish red (inside)	
<i>surface treatment</i>	none	
<i>comments</i>	Interior surface yellowish red. Probable firing outcome although appears as surface layer only.	

OS:1-04		
<i>shard type</i>	Decorated—body	
<i>spit</i>	1	
<i>vessel part/position</i>	unknown; wall	
<i>pattern/motif</i>	parallel lines, perpendicular lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	1.0	
<i>thickness (mm)</i>	4.67	
<i>fabric</i>	medium	
<i>preservation</i>	average	
<i>firing</i>	even	
<i>Munsell color</i>	2.5Y 7/2 light gray	
<i>surface treatment</i>	none	
<i>comments</i>	Deep, regular incisions, achieved with tined tool; or possibly impressed. Cement colored.	

OS:1-09		
<i>shard type</i>	Decorated—body	
<i>spit</i>	1	
<i>vessel part/position</i>	unknown; wall	
<i>pattern/motif</i>	pair of converging parallel lines on central line	
<i>technique</i>	incised	
<i>weight (gm)</i>	1.7	
<i>thickness (mm)</i>	3.53	
<i>fabric</i>	fine	
<i>preservation</i>	worn	
<i>firing</i>	uneven	
<i>Munsell color</i>	2.5Y 6/1 gray	
<i>surface treatment</i>	none	
<i>comments</i>	Faint, not highly visible in rough, mudstone-like surface.	

OS:1-12		
<i>shard type</i>	Decorated—body	
<i>spit</i>	1	
<i>vessel part/position</i>	unknown	
<i>pattern/motif</i>	straight, rectangular indent/line	
<i>technique</i>	punctuation	
<i>weight (gm)</i>	<0.5	
<i>thickness (mm)</i>	4.12	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	2.5Y 7/2 light gray	
<i>surface treatment</i>	none	
<i>comments</i>	Incomplete regular, deep impression.	

OS:1-15		
<i>shard type</i>	Decorated—body	
<i>spit</i>	1	
<i>vessel part/position</i>	outside/underside of everted rim	
<i>pattern/motif</i>	parallel lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	2.7	
<i>thickness (mm)</i>	6.07	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	2.5YR 6/8 light red	
<i>surface treatment</i>	red layer	
<i>comments</i>	Probable broken rim. Worn red surface layer appears to be applied	

OS:1-20	
<i>shard type</i>	Decorated—body
<i>spit</i>	1
<i>vessel part/position</i>	unknown; possible rim
<i>pattern/motif</i>	curvilinear and dots
<i>technique</i>	appliqué; punctation
<i>weight (gm)</i>	2.4
<i>thickness (mm)</i>	5.19
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/4 pink
<i>surface treatment</i>	equivocal yellow
<i>comments</i>	Apparent yellow surface layer. Possible direct rim, flat lip.



Spit 2


OS:2-12	
<i>shard type</i>	Decorated-body
<i>spit</i>	2
<i>vessel part/position</i>	inside/internal face of possible everted rim
<i>pattern/motif</i>	single broken line
<i>technique</i>	incised
<i>weight (gm)</i>	3.4
<i>thickness (mm)</i>	4.00
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/1 gray
<i>surface treatment</i>	none
<i>comments</i>	probable incidental marking



OS:2-13

<i>shard type</i>	Decorated—body	
<i>spit</i>	2	
<i>vessel part/position</i>	unknown; wall	
<i>pattern/motif</i>	single line	
<i>technique</i>	incised	
<i>weight (gm)</i>	2.0	
<i>thickness (mm)</i>	3.70	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 7/6 reddish yellow	
<i>surface treatment</i>	none	
<i>comments</i>	Line underscores thickening of shard/wall.	

OS:2-24

<i>shard type</i>	Decorated—body	
<i>spit</i>	2	
<i>vessel part/position</i>	unknown; wall	
<i>pattern/motif</i>	six or more parallel, even lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	7.4	
<i>thickness (mm)</i>	8.27	
<i>fabric</i>	medium-coarse	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 4/2 dark grayish brown	Shard is bending, likely inflection point. Heavy vessel, uncommon fabric. Prominent white and glassy inclusions. Lines are not highly visible.
<i>surface treatment</i>	none	
<i>comments</i>		

OS:2-25

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	single rectangular indent
<i>technique</i>	impressed
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.73
<i>fabric</i>	fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	red
<i>comments</i>	Apparent applied layer with decoration featuring.

**OS:2-26**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	pinprick dots
<i>technique</i>	punctuation
<i>weight (gm)</i>	3.3
<i>thickness (mm)</i>	3.83
<i>fabric</i>	medium-coarse
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown
<i>surface treatment</i>	none
<i>comments</i>	Three dots appear symmetrical and patterned.

**OS:2-27**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	pinprick dots
<i>technique</i>	punctuation
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.63
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown
<i>surface treatment</i>	none
<i>comments</i>	Three consecutive, evenly spaced dots.



OS:2-28

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	pinprick dots
<i>technique</i>	punctation
<i>weight (gm)</i>	0.9
<i>thickness (mm)</i>	4.02
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	Pair of dots in apparent brown surface layer.

**OS:2-36**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	single line with multiple adjoining diagonal lines— 'herringbone'
<i>technique</i>	incised
<i>weight (gm)</i>	0.5
<i>thickness (mm)</i>	3.46
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/2 light gray
<i>surface treatment</i>	none
<i>comments</i>	Fine lines not highly visible. Possible tree motif.

**OS:2-37**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	two indents
<i>technique</i>	impressed
<i>weight (gm)</i>	0.8
<i>thickness (mm)</i>	4.31
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	uneven
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	none
<i>comments</i>	Possibly incidental markings.



OS:2-42

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	converging pair of parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	5.68
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray
<i>surface treatment</i>	burnished
<i>comments</i>	Similar to OS:1-09. Faint, lines are not highly visible.

**OS:2-43**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	inflection point
<i>pattern/motif</i>	line
<i>technique</i>	incised
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	6.30
<i>fabric</i>	medium
<i>preservation</i>	very worn
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/6 red
<i>surface treatment</i>	red
<i>comments</i>	Apparent red surface layer.

**OS:2-48**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	straight-line indent
<i>technique</i>	incised; impressed
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	6.06
<i>fabric</i>	medium
<i>preservation</i>	very worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown
<i>surface treatment</i>	yellow
<i>comments</i>	Apparent yellow-brown tone surface layers.



OS:2-58

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	<0.55
<i>thickness (mm)</i>	3.19
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	uneven
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	yellow
<i>comments</i>	Apparent yellow layer undecorated surface.

**OS:2-59**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; wall
<i>pattern/motif</i>	curved section
<i>technique</i>	appliqué
<i>weight (gm)</i>	<0.5
<i>thickness (mm)</i>	3.75
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red
<i>surface treatment</i>	yellow
<i>comments</i>	Apparent yellow surface layers, very small fragment.

**OS:2-60**

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	inflection point; carination
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.0
<i>thickness (mm)</i>	4.38
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	none
<i>comments</i>	Yellow surface.



OS:2-61

<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.4
<i>thickness (mm)</i>	3.72
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/1 gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:2-68**


<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.1
<i>thickness (mm)</i>	3.69
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/1 gray
<i>surface treatment</i>	none
<i>comments</i>	Possible broken rim.

**OS:2-69**


<i>shard type</i>	Decorated—body
<i>spit</i>	2
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	four parallel lines with three or more dots
<i>technique</i>	incised; punctation
<i>weight (gm)</i>	4.6
<i>thickness (mm)</i>	5.96
<i>fabric</i>	medium
<i>preservation</i>	very worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown
<i>surface treatment</i>	none
<i>comments</i>	Irregularly shaped, bending shard with prominent inclusions. Roughly incised with dots at the head of lines



OS:2-70

<i>shard type</i>	Decorated—body	
<i>spit</i>	2	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	three grouped, square impressions	
<i>technique</i>	punctation	
<i>weight (gm)</i>	2.2	
<i>thickness (mm)</i>	5.70	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	2.5Y 5/2 grayish brown	
<i>surface treatment</i>	none	
<i>comments</i>	Possibly holes where inclusion has dislodged, yet fabric is mostly fine .	

OS:2-71

<i>shard type</i>	Decorated—body	
<i>spit</i>	2	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	green paint	
<i>technique</i>	painting	
<i>weight (gm)</i>	1.2	
<i>thickness (mm)</i>	4.52	
<i>fabric</i>	fine	
<i>preservation</i>	average	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 7/4 pink	
<i>surface treatment</i>	paint	
<i>comments</i>	Modern. Unpainted surface is light brown-beige (Munsell 'pink').	

Spit 3

OS:3-04	
<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; rim
<i>pattern/motif</i>	curvilinear with diagonal rectangular indents
<i>technique</i>	appliqué; impressed
<i>weight (gm)</i>	3.8
<i>thickness (mm)</i>	7.33
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 4/2 dark grayish brown
<i>surface treatment</i>	none
<i>comments</i>	Could be broken rim with decoration under everting lip.



OS:3-07	
<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	0.7
<i>thickness (mm)</i>	3.25
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown
<i>surface treatment</i>	none
<i>comments</i>	Uncommon red fabric.



OS:3-08

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; neck
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.7
<i>thickness (mm)</i>	4.73
<i>fabric</i>	medium-coarse
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 4/2 brown
<i>surface treatment</i>	none



comments Shard is bending, may be broken rim or other section associated with neck/shoulder.

OS:3-09

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	irregular fine lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.6
<i>thickness (mm)</i>	3.64
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 8/4 pale yellow
<i>surface treatment</i>	none



comments Very fine-tipped tool.

OS:3-13

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	three pairs of lines
<i>technique</i>	incised
<i>weight (gm)</i>	<0.5
<i>thickness (mm)</i>	2.57
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5Y 5/1 gray
<i>surface treatment</i>	none



comments Slightly converging series of paired lines, tined tool.

OS:3-14

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	linear
<i>technique</i>	incised
<i>weight (gm)</i>	<0.5
<i>thickness (mm)</i>	3.34
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5Y 6/1 gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:3-15**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	linear
<i>technique</i>	incised
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	4.11
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	Shard flake, very worn on undecorated surface.

**OS:3-19**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	0.5
<i>thickness (mm)</i>	3.73
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	



OS:3-20

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	line
<i>technique</i>	incised
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	3.65
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	uneven
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	Shard is bending. Sharp tool used.

**OS:3-21**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	four consecutive dots
<i>technique</i>	punctuation
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	3.44
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	Pebble-like feel/appearance. Very small, fine and regular punctations.

**OS:3-23**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.10
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown
<i>surface treatment</i>	none
<i>comments</i>	Thin-walled vessel.



OS:3-24

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	rectangular indent
<i>technique</i>	impressed
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	4.11
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/3 pale yellow
<i>surface treatment</i>	yellow/red



comments Thickening shard, slight bend. Probably near rim. One surface yellow, the other red. Similar to OS:1-12.

OS:3-31

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	series of short lines
<i>technique</i>	incised
<i>weight (gm)</i>	0.8
<i>thickness (mm)</i>	3.00
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	none



comments Likely produced with a three-tine tool. Similar to OS:3-13.

OS:3-32

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	set of three short regular parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	4.06
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray
<i>surface treatment</i>	none



comments Very regular incision.

OS:3-33

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines with diagonal line in-between
<i>technique</i>	incised
<i>weight (gm)</i>	<0.5
<i>thickness (mm)</i>	2.88
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 4/1 dark gray
<i>surface treatment</i>	burnished
<i>comments</i>	


**OS:3-34**


<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	fine curving line/s
<i>technique</i>	incised
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.14
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/6 red
<i>surface treatment</i>	red
<i>comments</i>	Fine lines in equivocal applied red surface. Possibly incidental scratches in relatively soft surface.


**OS:3-35**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.6
<i>thickness (mm)</i>	4.51
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red
<i>surface treatment</i>	red
<i>comments</i>	Probable segment of continuous pattern around vessel. Apparent red surface layer.



OS:3-41		
<i>shard type</i>	Decorated—body	
<i>spit</i>	3	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curvilinear	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	2.9	
<i>thickness (mm)</i>	4.20	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	5Y 6/1 gray	
<i>surface treatment</i>	none	
<i>comments</i>		

OS:3-42		
<i>shard type</i>	Decorated—body	
<i>spit</i>	3	
<i>vessel part/position</i>	shoulder/carination	
<i>pattern/motif</i>	series of short converging lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	1.5	
<i>thickness (mm)</i>	3.58	
<i>fabric</i>	fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 7/3 very pale brown	
<i>surface treatment</i>	none	
<i>comments</i>	Similar to OS:3-31.	

OS:3-43		
<i>shard type</i>	Decorated—body	
<i>spit</i>	3	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	straight line	
<i>technique</i>	incised	
<i>weight (gm)</i>	1.8	
<i>thickness (mm)</i>	2.84	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 6/4 light brown	
<i>surface treatment</i>	none	
<i>comments</i>	Very fine line, sharp point used. Shard is bending, pebble-like feel/appearance.	

OS:3-44

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.5
<i>thickness (mm)</i>	5.09
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown
<i>surface treatment</i>	red
<i>comments</i>	Lines in apparently applied layer.

**OS:3-50**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	9.4
<i>thickness (mm)</i>	5.18
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	red
<i>comments</i>	Large bending shard. Apparent red surface layer, inside light gray.

**OS:3-51**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué and incised
<i>weight (gm)</i>	13.4
<i>thickness (mm)</i>	7.29
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 4/1 dark gray
<i>surface treatment</i>	none
<i>comments</i>	Bending shard, heavy wall. Appliqué with parallel fine incised line and additional perpendicular lines.



OS:3-52

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	straight raised line
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.6
<i>thickness (mm)</i>	3.36
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown
<i>surface treatment</i>	yellow
<i>comments</i>	Apparent yellow surface layer.

**OS:3-53**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	straight raised line
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.2
<i>thickness (mm)</i>	3.37
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	uneven
<i>Munsell color</i>	7.5YR 6/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	Apparent yellow surfaces.

**OS:3-54**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.1
<i>thickness (mm)</i>	3.61
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/2 light gray
<i>surface treatment</i>	none
<i>comments</i>	Small part of supposed wavy line motif.



OS:3-55

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	zigzag lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.6
<i>thickness (mm)</i>	3.59
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow
<i>surface treatment</i>	none



comments Very fine lines, not highly visible. 'Herringbone' repeating pattern.

OS:3-56

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	single indent
<i>technique</i>	impressed/gouge
<i>weight (gm)</i>	0.9
<i>thickness (mm)</i>	3.42
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown
<i>surface treatment</i>	none



comments

OS:3-57

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	fine straight line
<i>technique</i>	incised
<i>weight (gm)</i>	3.8
<i>thickness (mm)</i>	3.98
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown
<i>surface treatment</i>	none



comments Possibly inadvertent mark (excavation).

OS:3-58

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	fine straight line
<i>technique</i>	incised
<i>weight (gm)</i>	6.3
<i>thickness (mm)</i>	5.28
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow
<i>surface treatment</i>	none



comments Possibly inadvertent mark (excavation). Apparent red-brown surface.

OS:3-65

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.6
<i>thickness (mm)</i>	3.83
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none



comments Possible rim with nubbin.

OS:3-66

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	2.0
<i>thickness (mm)</i>	4.90
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	red



comments Apparent red layer.

OS:3-67

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	short line or indent
<i>technique</i>	impressed
<i>weight (gm)</i>	0.8
<i>thickness (mm)</i>	3.52
<i>fabric</i>	medium-fine
<i>preservation</i>	very worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/4 pink
<i>surface treatment</i>	red-brown
<i>comments</i>	Apparent surface layer.

**OS:3-76**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	neck
<i>pattern/motif</i>	raised line, notched
<i>technique</i>	appliqué, impressed
<i>weight (gm)</i>	6.3
<i>thickness (mm)</i>	5.31
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/1 gray
<i>surface treatment</i>	none
<i>comments</i>	Bending shard. Decorative line appears to be running vertically.

**OS:3-77**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines with diagonal line
<i>technique</i>	incised
<i>weight (gm)</i>	0.8
<i>thickness (mm)</i>	3.87
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/2 light gray
<i>surface treatment</i>	none
<i>comments</i>	



OS:3-78

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	rectangular indent
<i>technique</i>	impressed
<i>weight (gm)</i>	1.1
<i>thickness (mm)</i>	2.83
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10R 5/6 red
<i>surface treatment</i>	none
<i>comments</i>	Bend in shard with decoration appearing on the inside.

**OS:3-79**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	deep rounded indents
<i>technique</i>	impressed
<i>weight (gm)</i>	8.7
<i>thickness (mm)</i>	5.00
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	Impressions are incomplete and appear at broken shard edges.

**OS:3-85**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué; notching
<i>weight (gm)</i>	1.6
<i>thickness (mm)</i>	4.24
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10R 6/8 light red
<i>surface treatment</i>	red
<i>comments</i>	Striking red surface, one side only.



OS:3-86

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.26
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	

**OS:3-87**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	rectangular indent
<i>technique</i>	impressed
<i>weight (gm)</i>	1.9
<i>thickness (mm)</i>	4.68
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	

**OS:3-88**

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	neck rim
<i>pattern/motif</i>	rectangular indents
<i>technique</i>	impressed
<i>weight (gm)</i>	2.0
<i>thickness (mm)</i>	4.31
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	Curving shard, probable broken neck to rim section.



OS:3-89

<i>shard type</i>	Decorated—body
<i>spit</i>	3
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curved line
<i>technique</i>	incised
<i>weight (gm)</i>	3.5
<i>thickness (mm)</i>	3.71
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/1 gray
<i>surface treatment</i>	none
<i>comments</i>	Curving shard, red-brown layer on inside surface.

Spit 4**OS:4-05**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	band with curvilinear inside parallel lines
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.2
<i>thickness (mm)</i>	3.67
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/1 gray
<i>surface treatment</i>	none
<i>comments</i>	More refined example of appliqué by design and execution.

**OS:4-06**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.1
<i>thickness (mm)</i>	5.15
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	Indistinct, barely visible lines of varying type. Some possible excavation marks.



OS:4-07

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	zigzag 'herringbone' lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.2
<i>thickness (mm)</i>	3.98
<i>fabric</i>	medium-fine
<i>preservation</i>	very worn
<i>firing</i>	uneven
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	none
<i>comments</i>	Very fine, sharp cut lines in apparent yellow surface layer.

**OS:4-12**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	set of three dots
<i>technique</i>	punctation
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.13
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown
<i>surface treatment</i>	none
<i>comments</i>	Apparent yellow surface layers.

**OS:4-13**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	neck; carination
<i>pattern/motif</i>	short parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.1
<i>thickness (mm)</i>	4.45
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/6 reddish yellow
<i>surface treatment</i>	yellow
<i>comments</i>	Three not highly visible lines.



OS:4-19

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	shoulder; carination
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	4.2
<i>thickness (mm)</i>	5.50
<i>fabric</i>	medium
<i>preservation</i>	very worn
<i>firing</i>	uneven
<i>Munsell color</i>	10R 6/8 light red
<i>surface treatment</i>	red



comments Repeating curvilinear wavy appliqué is worn and diminished. Apparent red layer appears as firing outcome.

OS:4-20

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.1
<i>thickness (mm)</i>	4.64
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red
<i>surface treatment</i>	red



comments Applied or modelled curved design in red fabric or surface.


OS:4-21

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	0.9
<i>thickness (mm)</i>	2.82
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	uneven
<i>Munsell color</i>	10R 5/8 red
<i>surface treatment</i>	none




comments Two fine incised lines in uncommon red fabric, matches OS:4-22 immediately below.


OS:4-22

<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	shoulder; carination	
<i>pattern/motif</i>	incised notches in raised line	
<i>technique</i>	appliqué; impressed	
<i>weight (gm)</i>	0.7	
<i>thickness (mm)</i>	2.94	
<i>fabric</i>	medium-fine	
<i>preservation</i>	average	
<i>firing</i>	uneven	
<i>Munsell color</i>	10R 5/8 red	
<i>surface treatment</i>	none	
<i>comments</i>	Matches OS:4-21 immediately above.	

OS:4-34

<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	parallel lines and dashes	
<i>technique</i>	incised	
<i>weight (gm)</i>	1.8	
<i>thickness (mm)</i>	3.96	
<i>fabric</i>	medium-fine	
<i>preservation</i>	very worn	
<i>firing</i>	even	
<i>Munsell color</i>	2.5Y 6/2 light brownish gray	
<i>surface treatment</i>	none	
<i>comments</i>	Probable that worn lines give effect of dashes.	

OS:4-35

<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curved line	
<i>technique</i>	incised	
<i>weight (gm)</i>	0.9	
<i>thickness (mm)</i>	3.76	
<i>fabric</i>	medium-fine	
<i>preservation</i>	average	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 7/3 very pale brown	
<i>surface treatment</i>	none	
<i>comments</i>		

OS:4-36

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	open triangle
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.1
<i>thickness (mm)</i>	3.71
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	Fine, slight appearing applied detail and worn.

**OS:4-42**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.7
<i>thickness (mm)</i>	4.09
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	red
<i>comments</i>	Worn appliqué in apparent red surface layer.

**OS:4-43**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	shoulder; carination
<i>pattern/motif</i>	three parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	3.1
<i>thickness (mm)</i>	8.01
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	Possible tined tool. Matches with OS:4-44 and OS:4-45 below.



OS:4-44

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	zigzag 'herringbone' parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.9
<i>thickness (mm)</i>	4.62
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:4-45**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	shoulder; carination
<i>pattern/motif</i>	zigzag 'herringbone' parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	4.94
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:4-50**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear raised line with indents
<i>technique</i>	appliqué; impressed
<i>weight (gm)</i>	5.4
<i>thickness (mm)</i>	4.07
<i>fabric</i>	medium-coarse
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yel- lowish brown
<i>surface treatment</i>	none
<i>comments</i>	Notched wavy raised line.



OS:4-51

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	straight raised line
<i>technique</i>	appliqué
<i>weight (gm)</i>	4.0
<i>thickness (mm)</i>	4.40
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:4-52**


<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	raised indented line
<i>technique</i>	appliqué, notching
<i>weight (gm)</i>	2.3
<i>thickness (mm)</i>	3.75
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown
<i>surface treatment</i>	none
<i>comments</i>	Curved incised line also a feature.

**OS:4-53**


<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear
<i>technique</i>	appliqué
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	4.33
<i>fabric</i>	medium
<i>preservation</i>	very worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown
<i>surface treatment</i>	none
<i>comments</i>	



OS:4-54

<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	neck; shoulder	
<i>pattern/motif</i>	raised detail	
<i>technique</i>	appliqué; molding	
<i>weight (gm)</i>	2.0	
<i>thickness (mm)</i>	6.00	
<i>fabric</i>	fine	
<i>preservation</i>	very worn	
<i>firing</i>	even	
<i>Munsell color</i>	2.5Y 6/2 light brownish gray	
<i>surface treatment</i>	none	
<i>comments</i>	Indistinct piece, decoration is apparent yet unclear. Probable carination or rim-lip although identification uncertain.	

OS:4-55

<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	straight raised line with adjoining diagonal lines	
<i>technique</i>	appliqué, incised	
<i>weight (gm)</i>	3.8	
<i>thickness (mm)</i>	5.17	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	5YR 5/6 yellowish red	
<i>surface treatment</i>	red	
<i>comments</i>	Combination line of fabric with fine line—similar motif to 'tree or fish-bone'. Apparent red surface layer.	

OS:4-56

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	straight and curved lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.2
<i>thickness (mm)</i>	4.56
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown
<i>surface treatment</i>	none
<i>comments</i>	Possibly lines radiating from a circle motif.


**OS:4-57**


<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curved line
<i>technique</i>	incised
<i>weight (gm)</i>	1.5
<i>thickness (mm)</i>	4.02
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	Apparent red-brown surface layer.


**OS:4-58**

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	rectangular indent
<i>technique</i>	impressed
<i>weight (gm)</i>	1.3
<i>thickness (mm)</i>	3.47
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	Bending body fragment.



OS:4-59		
<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	straight line	
<i>technique</i>	incised	
<i>weight (gm)</i>	0.8	
<i>thickness (mm)</i>	3.69	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 5/3 brown	
<i>surface treatment</i>	none	
<i>comments</i>	Not highly visible, could be incidental marking.	

OS:4-66		
<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	neck outside	
<i>pattern/motif</i>	raised lines	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	3.6	
<i>thickness (mm)</i>	5.66	
<i>fabric</i>	medium	
<i>preservation</i>	very worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 6/2 light brownish gray	
<i>surface treatment</i>	none	
<i>comments</i>	Poor condition, could be broken rim. Applied decoration very worn.	

OS:4-67		
<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	carination	
<i>pattern/motif</i>	semi-circular raised fabric marking ridge	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	1.8	
<i>thickness (mm)</i>	4.24	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	5YR 7/6 reddish yellow	
<i>surface treatment</i>	red	
<i>comments</i>	Applied round and curvilinear shape in apparent red surface layer.	

OS:4-68

<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.6
<i>thickness (mm)</i>	4.43
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/2 light gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:4-69**


<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel curvilinear
<i>technique</i>	incised
<i>weight (gm)</i>	3.5
<i>thickness (mm)</i>	4.32
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown
<i>surface treatment</i>	none
<i>comments</i>	Probably tined tool. Possible broken rim.

**OS:4-70**


<i>shard type</i>	Decorated—body
<i>spit</i>	4
<i>vessel part/position</i>	carination, shoulder
<i>pattern/motif</i>	V-shape lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.8
<i>thickness (mm)</i>	5.49
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	5YR 7/6 reddish yellow
<i>surface treatment</i>	red
<i>comments</i>	Zigzag fine lines over inflection point. Apparent red surface, decorated side only.




OS:4-71

<i>shard type</i>	Decorated—body	
<i>spit</i>	4	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	regular indents in raised fabric	
<i>technique</i>	appliqué, impress	
<i>weight (gm)</i>	1.5	
<i>thickness (mm)</i>	2.68	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	2.5YR 5/6 red	
<i>surface treatment</i>	none	
<i>comments</i>	Uncommon fabric, very fine-walled vessel.	

Spit 5**OS:5-08**

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	draped curvilinear	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	5.4	
<i>thickness (mm)</i>	4.20	
<i>fabric</i>	medium-coarse	
<i>preservation</i>	average	
<i>firing</i>	uneven	
<i>Munsell color</i>	2.5Y 7/2 light gray	
<i>surface treatment</i>	none	
<i>comments</i>	Two curved pieces clearly applied, bending shard.	

OS:5-09

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curvilinear raised fabric	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	1.7	
<i>thickness (mm)</i>	3.59	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 7/4 very pale brown	
<i>surface treatment</i>	none	
<i>comments</i>		

OS:5-10

<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	pinprick indent dots
<i>technique</i>	punctuation
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	3.31
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown
<i>surface treatment</i>	none
<i>comments</i>	Regular size and shape.

**OS:5-11**

<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	raised fabric line
<i>technique</i>	appliqué
<i>weight (gm)</i>	0.5
<i>thickness (mm)</i>	3.19
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow
<i>surface treatment</i>	none
<i>comments</i>	Appliqué or modeled line. Could be micro-rim.

**OS:5-17**


<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	raised fabric line and fine surface line
<i>technique</i>	appliqué, incised
<i>weight (gm)</i>	0.5
<i>thickness (mm)</i>	3.36
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown
<i>surface treatment</i>	none
<i>comments</i>	Appliqué line has slight indents.



OS:5-18

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	zigzag parallel lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	1.3	
<i>thickness (mm)</i>	3.95	
<i>fabric</i>	fine	
<i>preservation</i>	average	
<i>firing</i>	even	
<i>Munsell color</i>	2.5Y 6/2 light brownish gray	
<i>surface treatment</i>	none	
<i>comments</i>	Bending shard, may be shoulder-neck. Probable match with OS:4-43, 44, 45.	

OS:5-24

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curvilinear closed U-shape	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	0.8	
<i>thickness (mm)</i>	-	
<i>fabric</i>	medium	
<i>preservation</i>	very worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 6/3 pale brown	
<i>surface treatment</i>	none	
<i>comments</i>		

OS:5-25

<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	V-shape and fine lines between linking to circle
<i>technique</i>	incised; impressed
<i>weight (gm)</i>	5.1
<i>thickness (mm)</i>	5.05
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown
<i>surface treatment</i>	none
<i>comments</i>	Complex pattern suggesting 'sunray' motif.

**OS:5-26**


<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.9
<i>thickness (mm)</i>	5.47
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red
<i>surface treatment</i>	red
<i>comments</i>	Apparent red layer on decorated surface.

**OS:5-27**


<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	neck rim
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	0.7
<i>thickness (mm)</i>	4.47
<i>fabric</i>	fine
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	yellow
<i>comments</i>	Shard thick at one end and tapering, possible neck rim. Probably tined tool used.




OS:5-28


<i>shard type</i>	Decorated-body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	parallel lines	
<i>technique</i>	incised/impressed	
<i>weight (gm)</i>	1.4	
<i>thickness (mm)</i>	4.23	
<i>fabric</i>	medium	
<i>preservation</i>	very worn	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 7/6 reddish yellow	
<i>surface treatment</i>	yellow	
<i>comments</i>	Three lines or impressed furrows, poor condition. Probably tined tool. Apparent yellow layer decorated surface.	

OS:5-29

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	shoulder; carination	
<i>pattern/motif</i>	curvilinear arrangement of dots	
<i>technique</i>	punctuation	
<i>weight (gm)</i>	8.6	
<i>thickness (mm)</i>	7.37	
<i>fabric</i>	medium-coarse	
<i>preservation</i>	worn	
<i>firing</i>	uneven	
<i>Munsell color</i>	2.5YR 4/6 red	
<i>surface treatment</i>	red	
<i>comments</i>	Unique form, pattern and fabric. Circular punctuation dots running above/below carination point. Inclusions prominent in rough, sandy-feel fabric. Red surface apparent on inside	

OS:5-42		
<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curvilinear	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	0.7	
<i>thickness (mm)</i>	3.95	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 6/4 light yellowish brown	
<i>surface treatment</i>	none	
<i>comments</i>	Applied 'flower' motif.	

OS:5-43		
<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curvilinear	
<i>technique</i>	applied	
<i>weight (gm)</i>	<0.5	
<i>thickness (mm)</i>	2.45	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 7/3 very pale brown	
<i>surface treatment</i>	none	
<i>comments</i>	Section of probably applied wavy line motif.	

OS:5-44		
<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	raised, notched fabric line, chevrons	
<i>technique</i>	appliqué; impressed incised	
<i>weight (gm)</i>	3.9	
<i>thickness (mm)</i>	4.43	
<i>fabric</i>	medium	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 5/2 grayish brown	
<i>surface treatment</i>	yellow	
<i>comments</i>	Complex decorations/pattern, apparent yellow surface inside.	

OS:5-45

<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	4.8
<i>thickness (mm)</i>	4.60
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/2 light gray
<i>surface treatment</i>	none
<i>comments</i>	Very fine lines, regular but not precisely spaced.

**OS:5-46**


<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.0
<i>thickness (mm)</i>	3.43
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray
<i>surface treatment</i>	none
<i>comments</i>	

**OS:5-47**


<i>shard type</i>	Decorated—body
<i>spit</i>	5
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	1.7
<i>thickness (mm)</i>	4.37
<i>fabric</i>	medium
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown
<i>surface treatment</i>	yellow
<i>comments</i>	Slightly irregularly spaced lines, apparent yellow surface layer.




OS:5-48

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	parallel lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	0.6	
<i>thickness (mm)</i>	3.27	
<i>fabric</i>	medium	
<i>preservation</i>	very worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 7/3 very pale brown	
<i>surface treatment</i>	none	
<i>comments</i>	Poor condition, three or more evenly spaced lines.	


OS:5-51

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	curvilinear	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	0.7	
<i>thickness (mm)</i>	3.44	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	10YR 7/4 very pale brown	
<i>surface treatment</i>	none	Apparent yellow surface layers.
<i>comments</i>		


OS:5-52

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	parallel and diagonal lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	2.0	
<i>thickness (mm)</i>	4.23	
<i>fabric</i>	fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 7/6 reddish yellow	
<i>surface treatment</i>	yellow	
<i>comments</i>		


OS:5-53


<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	parallel lines	
<i>technique</i>	incised	
<i>weight (gm)</i>	0.6	
<i>thickness (mm)</i>	3.47	
<i>fabric</i>	fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 6/4 light brown	
<i>surface treatment</i>	yellow	
<i>comments</i>	Apparent yellow surface layer.	

OS:5-54

<i>shard type</i>	Decorated—body	
<i>spit</i>	5	
<i>vessel part/position</i>	unknown: body	
<i>pattern/motif</i>	straight line	
<i>technique</i>	incised	
<i>weight (gm)</i>	0.5	
<i>thickness (mm)</i>	3.25	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	even	
<i>Munsell color</i>	7.5YR 6/4 light brown	
<i>surface treatment</i>	yellow	
<i>comments</i>	Apparent yellow surface layers.	

Spit 6

OS:6-02		
<i>shard type</i>	Decorated—body	
<i>spit</i>	6	
<i>vessel part/position</i>	neck-rim inflection	
<i>pattern/motif</i>	curvilinear	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	2.1	
<i>thickness (mm)</i>	4.30	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	uneven	
<i>Munsell color</i>	2.5YR 6/8 light red	
<i>surface treatment</i>	none	
<i>comments</i>	Red-fired surface.	

OS:6-03		
<i>shard type</i>	Decorated—body	
<i>spit</i>	6	
<i>vessel part/position</i>	unknown; body	
<i>pattern/motif</i>	raised line	
<i>technique</i>	appliqué	
<i>weight (gm)</i>	2.2	
<i>thickness (mm)</i>	3.92	
<i>fabric</i>	medium-fine	
<i>preservation</i>	worn	
<i>firing</i>	uneven	
<i>Munsell color</i>	2.5YR 6/6 light red	
<i>surface treatment</i>	none	
<i>comments</i>	Red-fired surface, very small length of appliqué at left edge.	

OS:6-04

<i>shard type</i>	Decorated—body
<i>spit</i>	6
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	curvilinear hook shape
<i>technique</i>	incised
<i>weight (gm)</i>	0.7
<i>thickness (mm)</i>	4.61
<i>fabric</i>	medium-fine
<i>preservation</i>	average
<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/1 gray
<i>surface treatment</i>	none



comments Bending shard possibly below rim. Hook shape but interrupted pattern.

OS:6-05

<i>shard type</i>	Decorated—body
<i>spit</i>	6
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	pinprick dots
<i>technique</i>	punctuation
<i>weight (gm)</i>	0.6
<i>thickness (mm)</i>	4.03
<i>fabric</i>	medium
<i>preservation</i>	worn
<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow
<i>surface treatment</i>	yellow



comments Apparent yellow layer on decorated surface.

OS:6-13

<i>shard type</i>	Decorated—body
<i>spit</i>	6
<i>vessel part/position</i>	unknown; body
<i>pattern/motif</i>	parallel lines
<i>technique</i>	incised
<i>weight (gm)</i>	2.5
<i>thickness (mm)</i>	3.81
<i>fabric</i>	medium-fine
<i>preservation</i>	worn
<i>firing</i>	uneven
<i>Munsell color</i>	2.5YR 6/8 light red
<i>surface treatment</i>	red



comments Apparent red surface layer outside, brown inside.