

EARLY METAL AGE POTTERY FROM FATU AKI ANIK KNUA, TIMOR-LESTE AND THE APPEARANCE OF CERAMICS IN THE WALLACEAN ISLANDS

SUPPLEMENTARY FILE 2: FAAK OPEN SITE CATALOGUE—RIMS

Phillip Beaumont

PhD Candidate, Archaeology and Natural History, College of Asia and the Pacific, Australian National University, Canberra ACT 2600 Australia.

Email: phillip.beaumont@anu.edu.au

Sue O'Connor

Distinguished Professor, Archaeology and Natural History, College of Asia and the Pacific, Australian National University, Canberra ACT 2600 Australia.

Email: sue.oconnor@anu.edu.au

Mathieu Leclerc

Lecturer in Pacific Archaeology, Archaeology and Anthropology, College of Arts and Social Sciences, Australian National University, Canberra ACT 2600 Australia.

Email: mathieu.leclerc@anu.edu.au

This catalogue presents descriptions and observations on 172 diagnostic rim shards from the Faak Open site. The assessment of lip profiles and rim direction is a key element of the rim form analysis. Most characteristics are readily identifiable. However, the distinction between outcurving and everted rim direction (and similarly but less commonly in this analysis, between incurving and inverted) requires a qualitative judgment on whether the rim proceeds from a particular point. An everted rim clearly angles away from a neck, carination or shoulder point, either evident or supposed. An outcurving rim will have no change in orientation at any particular point. However, the two rim forms are effectively the same in that they create a rim diameter that is greater than the vessel orifice. The identification of an everted rim where the rim angles away from a definite carination or shoulder point, clearly leads to the identification of a restricted neck and vessel. Outcurving or direct rims from a straight or inward curving wall similarly indicate an open vessel.

The catalogue presents a discrete description of each rim consistent with standard analytical methods for documenting rim forms (Best 1985; Galle and Neiman 2016; Rice 1987). The cata-

logue features macroscopic observations and descriptions including:

- photographs
- reference and excavation details
- lip profile—round, round-pointed, pointed, flat, flat-horizontal
- rim direction—direct, incurving, outcurving, inverted, everted
- key measurements—weight, thickness at lip and rim
- fabric type—fine, medium-fine, medium, medium-coarse, coarse
- preservation condition—fresh, average, worn, very worn
- firing—even, uneven
- color—Munsell (2000) reference and color
- surface treatment—none, (description of applied color).

Photographs of rim forms show interior surface view (left), exterior surface view (center), and rim-lip profile (right). Rim lips are oriented to the top of photographs.

Where an applied surface color is deemed to be apparent, it has been described generically in the catalogue as red, yellow, light brown, etc. There is significant variation in surface colors between shards and sometimes on a single shard. The Munsell reference and color assess-

ment provide more precise detail on the most prominent or characteristic surface color of a shard.

REFERENCES



Best, S.B. 1985. Lakeba: The Prehistory of a Fijian island. Unpublished Ph.D. thesis. Auckland: University of Auckland.




Galle, J. and F. Neiman. 2016. *DAACS Cataloging Manual: Ceramics*. Monticello: DAACS Research Consortium.

Munsell Color. 2000. *Munsell Soil Color Charts*. New York.

Rice, P.M. 1987. *Pottery Analysis: A Sourcebook*. Chicago: University of Chicago Press.

Spit 1

OS:1-01					
					
<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.4	<i>rim (mm)</i>	6.22	<i>lip (mm)</i>	5.10
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Prominent inclusions. 22mm segment.				

OS:1-02					
					
<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round-pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.7	<i>rim (mm)</i>	6.52	<i>lip (mm)</i>	3.62
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/4 yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Fine lip. Same fabric as above but different vessel. 25mm segment.				

OS:1-05






<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	5.70	<i>lip (mm)</i>	2.95
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	Fine out-rolled lip.				




OS:1-06



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.2	<i>rim (mm)</i>	5.17	<i>lip (mm)</i>	4.48
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 4/2 dark grayish brown			<i>surface treatment</i>	none
<i>comments</i>	Darker fabric than more typical gray. 21mm segment.				

					
<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.1	<i>rim (mm)</i>	5.28	<i>lip (mm)</i>	5.25
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5Y 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	27mm segment, only slight apparent curve.				

OS:1-08

					
<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.1	<i>rim (mm)</i>	5.03	<i>lip (mm)</i>	4.90
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5Y 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Glassy inclusions, sandpaper feel.				

OS:1-10



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	11.2	<i>rim (mm)</i>	6.20	<i>lip (mm)</i>	5.08
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Long neck of restricted vessel or unrestricted jar. 45mm segment some curve apparent.				

OS:1-11



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.7	<i>rim (mm)</i>	7.18	<i>lip (mm)</i>	6.70
<i>fabric</i>	medium-coarse	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5Y 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Inclusions prominent, glassy inclusions. Internal surface slightly red. 30mm segment very slight curve.				

OS:1-13



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.6	<i>rim (mm)</i>	7.64	<i>lip (mm)</i>	4.06
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	red
<i>comments</i>	Everted to 90° or beyond. 18mm segment only no apparent curve. Reddish surface layers, possible firing outcome.				

OS:1-14



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	flat	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.8	<i>rim (mm)</i>	5.26	<i>lip (mm)</i>	6.69
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	Probable coarse/unrefined, heavy feeling vessel. 19mm segment no curve apparent.				

OS:1-17



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	
<i>weight (gm)</i>	2.3	<i>rim (mm)</i>	4.36	<i>lip (mm)</i>	2.90
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Equivocal yellow surface layer. Very small lip segment.				

OS:1-18



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.6	<i>rim (mm)</i>	5.63	<i>lip (mm)</i>	3.98
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Broken rim segment, lip section very small.				

OS:1-19



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.2	<i>rim (mm)</i>	5.06	<i>lip (mm)</i>	3.90
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Small 16mm segment but everted shape is apparent slightly.				

OS:1-22



<i>shard type</i>	Rim			<i>spit</i>	1
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	<0.5	<i>rim (mm)</i>	3.93	<i>lip (mm)</i>	2.10
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 4/1 dark gray			<i>surface treatment</i>	none
<i>comments</i>	Very fine rim, 14mm segment only. Darker fabric than generally typical.				

Spit 2

OS:2-01



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	11.6	<i>rim (mm)</i>	8.17	<i>lip (mm)</i>	3.79
<i>fabric</i>	medium-coarse	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/1 light gray			<i>surface treatment</i>	none
<i>comments</i>	30mm broken rim segment with slight apparent curve, dramatically out-curved lip .				

OS:2-02




<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	7.4	<i>rim (mm)</i>	6.40	<i>lip (mm)</i>	2.78
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	25mm segment with some curve. Neck shows angle of vessel below—likely globular cooking pot.				

OS:2-03



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.9	<i>rim (mm)</i>	7.09	<i>lip (mm)</i>	2.96
<i>fabric</i>	fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Distinct fabric.				

OS:2-04



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.4	<i>rim (mm)</i>	6.94	<i>lip (mm)</i>	4.58
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	none
<i>comments</i>	Broken 20mm segment. Equivocal red surface layer.				

OS:2-05



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.2	<i>rim (mm)</i>	5.10	<i>lip (mm)</i>	4.63
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/2 grayish brown			<i>surface treatment</i>	none
<i>comments</i>	15mm segment.				

OS:2-06



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.4	<i>rim (mm)</i>	5.20	<i>lip (mm)</i>	2.51
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown			<i>surface treatment</i>	none
<i>comments</i>	Fine lip, broken rim.				

OS:2-07



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.3	<i>rim (mm)</i>	4.80	<i>lip (mm)</i>	2.24
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment.</i>	none
<i>comments</i>	Equivocal light brown surface layer.				

OS:2-08



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.3	<i>rim (mm)</i>	4.48	<i>lip (mm)</i>	2.31
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	none
<i>comments</i>	25mm segment, equivocal deteriorated red surface.				

OS:2-09



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.5	<i>rim (mm)</i>	3.38	<i>lip (mm)</i>	3.41
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment.</i>	none
<i>comments</i>	23mm segment, smooth feel relative most others.				

OS:2-10



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	4.74	<i>lip (mm)</i>	1.88
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/4 pink			<i>surface treatment</i>	none
<i>comments</i>	Equivocal red surface layer.				

OS:2-11



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	4.27	<i>lip (mm)</i>	3.30
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>					

OS:2-14



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	9.9	<i>rim (mm)</i>	7.46	<i>lip (mm)</i>	4.46
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	90° neck-rim angle. Red outside, yellow inside—equivocal surface layers				

OS:2-15



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	8.0	<i>rim (mm)</i>	6.33	<i>lip (mm)</i>	4.46
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/8 red			<i>surface treatment</i>	red
<i>comments</i>	20mm rim segment. Consistent red surface; equivocal applied layer or firing outcome.				

OS:2-16



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.2	<i>rim (mm)</i>	2.90	<i>lip (mm)</i>	2.90
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5Y 7/1 light gray			<i>surface treatment</i>	none
<i>comments</i>	90° neck-rim angle. No surface layer, completely consistent fabric throughout.				

OS:2-17



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.0	<i>rim (mm)</i>	4.06	<i>lip (mm)</i>	1.79
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	2.5YR 7/8 light red			<i>surface treatment</i>	none
<i>comments</i>	Yellow inside, red outside. Equivocal surface layers.				

OS:2-18



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.0	<i>rim (mm)</i>	3.34	<i>lip (mm)</i>	3.31
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	17mm segment, slight surface coloring, redder on outside.				

OS:2-19



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	4.48	<i>lip (mm)</i>	1.89
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	15mm segment, very fine lip. Yellow-brown color on outside, equivocal surface treatment.				

OS:2-20



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.5	<i>rim (mm)</i>	2.54	<i>lip (mm)</i>	2.43
<i>fabric</i>	fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	17mm segment .				

OS:2-21



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.4	<i>rim (mm)</i>	6.12	<i>lip (mm)</i>	4.96
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5Y 5/1 gray			<i>surface treatment</i>	burnished
<i>comments</i>	Short rim only with direction hard to determine; likely to be everted.				

OS:2-22



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	flat	<i>rim direction</i>	inverted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.9	<i>rim (mm)</i>	7.69	<i>lip (mm)</i>	5.79
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Probable unrestricted vessel, dish/bowl.				

OS:2-29



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.3	<i>rim (mm)</i>	5.62	<i>lip (mm)</i>	5.32
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	28mm segment.				

OS:2-30



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	flat	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.1	<i>rim (mm)</i>	3.80	<i>lip (mm)</i>	4.90
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 7/6 light red			<i>surface treatment</i>	none
<i>comments</i>	26mm segment.				

OS:2-31



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	5.42	<i>lip (mm)</i>	4.81
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	20mm segment, prominent inclusions in uncommon fabric.				

OS:2-32



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	4.00	<i>lip (mm)</i>	2.90
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	uneven
<i>Munsell color</i>	5YR 6/4 light reddish brown			<i>surface treatment</i>	none
<i>comments</i>	15mm segment.				

OS:2-33



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	unknown	<i>vessel form</i>	unknown
<i>weight (gm)</i>	<0.5	<i>rim (mm)</i>	5.03	<i>lip (mm)</i>	4.27
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 4/2 dark grayish brown			<i>surface treatment</i>	none
<i>comments</i>	Very small lip only.				

OS:2-34



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	unknown	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	5.05	<i>lip (mm)</i>	3.54
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Very small lip only.				

OS:2-38



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	flat	<i>rim direction</i>	inverted	<i>vessel form</i>	open
<i>weight (gm)</i>	4.1	<i>rim (mm)</i>	5.25	<i>lip (mm)</i>	5.20
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	26mm segment, probable unrestricted bowl/dish.				

OS:2-39



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	incurving	<i>vessel form</i>	open
<i>weight (gm)</i>	3.3	<i>rim (mm)</i>	4.76	<i>lip (mm)</i>	2.77
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	17mm segment.				

OS:2-40



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.2	<i>rim (mm)</i>	4.25	<i>lip (mm)</i>	2.66
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Fine lip.				

OS:2-41



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	3.36	<i>lip (mm)</i>	1.86
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	Fine rim/lip with great out-rolled angle.				

OS:2-44



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.8	<i>rim (mm)</i>	2.77	<i>lip (mm)</i>	3.01
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	none
<i>comments</i>	15mm segment, equivocal red surface layer.				

OS:2-45



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	<0.5	<i>rim (mm)</i>	4.35	<i>lip (mm)</i>	2.05
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 5/4 reddish brown			<i>surface treatment</i>	none
<i>comments</i>	Prominent inclusions.				

OS:2-46



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	unknown	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	5.21	<i>lip (mm)</i>	3.72
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Apparent yellow surfaces.				

OS:2-49



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	18.7	<i>rim (mm)</i>	6.31	<i>lip (mm)</i>	4.77
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5Y 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Broken, 40mm segment of rim-neck with only slight curve apparent.				

OS:2-50



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.9	<i>rim (mm)</i>	6.00	<i>lip (mm)</i>	3.40
<i>fabric</i>	medium-fine	<i>preservation</i>	very-worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Broken, 15mm segment of large flange-like rim.				

OS:2-51



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.2	<i>rim (mm)</i>	5.73	<i>lip (mm)</i>	2.67
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	yellow/red
<i>comments</i>	Apparent surface layers.				

OS:2-52



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.8	<i>rim (mm)</i>	6.54	<i>lip (mm)</i>	4.01
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/4 yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Round, out-rolled lip, 17mm segment.				

OS:2-53



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.7	<i>rim (mm)</i>	6.20	<i>lip (mm)</i>	2.76
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	uneven
<i>Munsell color</i>	2.5Y 7/1 light gray			<i>surface treatment</i>	none
<i>comments</i>	Large broken flange, 23mm segment.				

OS:2-54



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.5	<i>rim (mm)</i>	7.38	<i>lip (mm)</i>	3.35
<i>fabric</i>	medium-coarse	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	Apparent red surface layer outside, yellow inside.				

OS:2-55



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	4.03	<i>lip (mm)</i>	2.41
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Seemingly symmetrically arranged dots on internal lip face; incidental.				

OS:2-56



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	unknown	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.1	<i>rim (mm)</i>	6.83	<i>lip (mm)</i>	6.60
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	red
<i>comments</i>	Apparent red surfaces, relatively thick-walled vessel.				

OS:2-57



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	<0.5	<i>rim (mm)</i>	4.52	<i>lip (mm)</i>	2.11
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5YR 5/2 reddish gray			<i>surface treatment</i>	none
<i>comments</i>	Small rim tapering to very fine lip.				

OS:2-62



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.3	<i>rim (mm)</i>	6.71	<i>lip (mm)</i>	5.36
<i>fabric</i>	medium-fine	<i>preservation</i>	fresh	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 5/2 brown			<i>surface treatment</i>	burnished
<i>comments</i>	25mm segment no apparent curve.				

OS:2-63



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.9	<i>rim (mm)</i>	7.41	<i>lip (mm)</i>	5.80
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/3 brown			<i>surface treatment</i>	burnished
<i>comments</i>	22mm segment, no apparent curve.				

OS:2-64



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	flat	<i>rim direction</i>	incurving	<i>vessel form</i>	open
<i>weight (gm)</i>	1.9	<i>rim (mm)</i>	5.04	<i>lip (mm)</i>	5.71
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	red
<i>comments</i>	Outside surface has apparent red layer.				

OS:2-65



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	5.21	<i>lip (mm)</i>	4.03
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	uneven
<i>Munsell color</i>	10YR 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Small segment only.				

OS:2-66



<i>shard type</i>	Rim			<i>spit</i>	2
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	5.19	<i>lip (mm)</i>	3.46
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 5/3 brown			<i>surface treatment</i>	burnished
<i>comments</i>	Small segment, moderately fine lip.				

Spit 3

OS:3-01



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	flat	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.2	<i>rim (mm)</i>	6.08	<i>lip (mm)</i>	10.61
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10R 6/8 light red			<i>surface treatment</i>	red
<i>comments</i>	Apparent red, equivocal surface—some red extends across broken end of shard. Unique in style and size.				

OS:3-02



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.5	<i>rim (mm)</i>	4.53	<i>lip (mm)</i>	2.88
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/3 brown			<i>surface treatment</i>	none
<i>comments</i>	Acute out-curve, 13mm segment.				

OS:3-03



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.7	<i>rim (mm)</i>	3.24	<i>lip (mm)</i>	4.00
<i>fabric</i>	medium-fine	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Slight yellow surface color, broken lip. 20mm segment.				

OS:3-05



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.3	<i>rim (mm)</i>	3.83	<i>lip (mm)</i>	3.37
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Beyond 90° lip-rim angle, 20mm broken segment.				

OS:3-06



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.6	<i>rim (mm)</i>	4.78	<i>lip (mm)</i>	2.33
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/4 pale yellow			<i>surface treatment</i>	none
<i>comments</i>	Very fine tapering lip, relatively thick rim. 15mm segment, some red inside.				

OS:3-10



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	4.65	<i>lip (mm)</i>	4.11
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Very small fragment, slight everting bend can be felt.				

OS:3-11



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.8	<i>rim (mm)</i>	4.20	<i>lip (mm)</i>	2.32
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	Small tapering lip, 45° angle.				

OS:3-12



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	4.92	<i>lip (mm)</i>	5.32
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Small segment, pronounced bend.				

OS:3-16



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	5.70	<i>lip (mm)</i>	3.50
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown			<i>surface treatment</i>	red
<i>comments</i>	15mm segment, broken. Apparent red surface layers.				

OS:3-17



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	4.44	<i>lip (mm)</i>	3.49
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	red
<i>comments</i>	One surface (inside) has apparent red layer. Lip segment is very small.				

OS:3-18



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.5	<i>rim (mm)</i>	3.90	<i>lip (mm)</i>	2.61
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown			<i>surface treatment</i>	none
<i>comments</i>	Small.				

OS:3-22



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.0	<i>rim (mm)</i>	2.19	<i>lip (mm)</i>	2.60
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	red
<i>comments</i>	15mm segment, very fine lip. Apparent red surface layers.				

OS:3-25



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.5	<i>rim (mm)</i>	6.29	<i>lip (mm)</i>	3.10
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/6 red			<i>surface treatment</i>	red
<i>comments</i>	Very fine, out-rolled, tapering lip. Red inside, yellow outside.				

OS:3-26



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.7	<i>rim (mm)</i>	5.16	<i>lip (mm)</i>	3.44
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	Apparent surface color/layers.				

OS:3-27



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.7	<i>rim (mm)</i>	2.98	<i>lip (mm)</i>	2.32
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	Broken rim, small lip section. Profile angle exceeds 90°.				

OS:3-28



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	
<i>weight (gm)</i>	1.4	<i>rim (mm)</i>	4.26	<i>lip (mm)</i>	3.10
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/6 red			<i>surface treatment</i>	red
<i>comments</i>	Flange, 17mm segment. Apparent red surface.				

OS:3-29



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.3	<i>rim (mm)</i>	4.29	<i>lip (mm)</i>	3.31
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Out-rolled lip.				

OS:3-36



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.8	<i>rim (mm)</i>	5.89	<i>lip (mm)</i>	4.78
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	17mm segment.				

OS:3-37



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	4.05	<i>lip (mm)</i>	3.43
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown			<i>surface treatment</i>	none
<i>comments</i>	16mm segment, pronounced rim-lip angle.				

OS:3-38



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	flat	<i>rim direction</i>	inverted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.7	<i>rim (mm)</i>	3.98	<i>lip (mm)</i>	9.62
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Fine-walled vessel, apparent grooved rim (to fit lid possible). 20mm segment, unique shard.				

OS:3-39



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	flat	<i>rim direction</i>	inverted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.5	<i>rim (mm)</i>	5.74	<i>lip (mm)</i>	7.49
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	Similar to OS:3-38 immediately above, but heavier thick-walled vessel.				

OS:3-45



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.5	<i>rim (mm)</i>	2.53	<i>lip (mm)</i>	2.50
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/2 grayish brown			<i>surface treatment</i>	none
<i>comments</i>	30mm segment, some curve.				

OS:3-46



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.3	<i>rim (mm)</i>	4.21	<i>lip (mm)</i>	3.76
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/6 red			<i>surface treatment</i>	none
<i>comments</i>	Apparent surface layer outside. 30mm segment, some curve.				

OS:3-47



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.8	<i>rim (mm)</i>	3.80	<i>lip (mm)</i>	2.65
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	30mm segment.				

OS:3-48



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	inverted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.8	<i>rim (mm)</i>	6.40	<i>lip (mm)</i>	4.02
<i>fabric</i>	fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	18mm segment, slight curve apparent allowing assessment as inverting rim.				

OS:3-49



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.0	<i>rim (mm)</i>	5.59	<i>lip (mm)</i>	2.90
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/1 light gray			<i>surface treatment</i>	none
<i>comments</i>	Very light.				

OS:3-59



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.7	<i>rim (mm)</i>	5.63	<i>lip (mm)</i>	6.28
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/6 light red			<i>surface treatment</i>	red
<i>comments</i>	19mm segment, red surface outside.				

OS:3-60



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.4	<i>rim (mm)</i>	4.70	<i>lip (mm)</i>	3.47
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	23mm segment.				

OS:3-61



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.0	<i>rim (mm)</i>	4.56	<i>lip (mm)</i>	2.20
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	Pronounced bend.				

OS:3-68



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	flat	<i>rim direction</i>	inverted	<i>vessel form</i>	open
<i>weight (gm)</i>	5.5	<i>rim (mm)</i>	5.88	<i>lip (mm)</i>	6.25
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	none
<i>comments</i>	Distinct flat top and inside lip (compare OS:3-30) and inverting curve—bowl/dish. 20mm segment but little apparent curve.				

OS:3-69



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.1	<i>rim (mm)</i>	3.72	<i>lip (mm)</i>	2.96
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/8 red			<i>surface treatment</i>	none
<i>comments</i>	90° rim-lip angle, 22mm segment				

OS:3-70



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	6.57	<i>lip (mm)</i>	4.40
<i>fabric</i>	medium-coarse	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/8 red			<i>surface treatment</i>	none
<i>comments</i>	15mm segment, possibly inverted.				

OS:3-71



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	<0.5	<i>rim (mm)</i>	5.33	<i>lip (mm)</i>	4.08
<i>fabric</i>	medium-coarse	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/1 reddish gray			<i>surface treatment</i>	none
<i>comments</i>	Matches OS:3-70 immediately above but does not conjoin. 11mm broken lip segment only.				

OS:3-72






<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.5	<i>rim (mm)</i>	5.48	<i>lip (mm)</i>	4.35
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/2 weak red			<i>surface treatment</i>	none
<i>comments</i>	20mm segment, everting curve apparent.				

OS:3-73





<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.8	<i>rim (mm)</i>	3.90	<i>lip (mm)</i>	2.81
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	Small, fine lip, 13mm segment only. Uncommon light colored fabric.				

OS:3-74

					
<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.8	<i>rim (mm)</i>	3.99	<i>lip (mm)</i>	2.39
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Fine lip, 14mm segment.				

OS:3-80


					
<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	10.7	<i>rim (mm)</i>	4.26	<i>lip (mm)</i>	3.43
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/1 gray			<i>surface treatment</i>	none
<i>comments</i>	49mm with good curve				

OS:3-81



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.5	<i>rim (mm)</i>	2.83	<i>lip (mm)</i>	2.50
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	30mm, some curve.				

OS:3-82



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.5	<i>rim (mm)</i>	4.26	<i>lip (mm)</i>	3.20
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	red
<i>comments</i>	Yellow inside, red outside.				

OS:3-83



<i>shard type</i>	Rim			<i>spit</i>	3
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.3	<i>rim (mm)</i>	5.05	<i>lip (mm)</i>	2.86
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	Apparent red outside and red-brown inside surface layers.				

Spit 4

OS:4-01



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	flat horizontal	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.8	<i>rim (mm)</i>	4.91	<i>lip (mm)</i>	2.42
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Lip rolled out flat but short, unique overall profile.				

OS:4-02



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.2	<i>rim (mm)</i>	3.67	<i>lip (mm)</i>	2.32
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	90° lip-rim angle.				

OS:4-03



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.2	<i>rim (mm)</i>	4.95	<i>lip (mm)</i>	4.76
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	21mm lip segment.				

OS:4-04



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.4	<i>rim (mm)</i>	4.06	<i>lip (mm)</i>	3.79
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	Apparent red surface layers.				

OS:4-08



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.8	<i>rim (mm)</i>	6.44	<i>lip (mm)</i>	3.79
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown			<i>surface treatment</i>	none
<i>comments</i>	34mm segment with slight curve.				

OS:4-09






<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.4	<i>rim (mm)</i>	6.58	<i>lip (mm)</i>	3.03
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	equivocal
<i>comments</i>	22mm segment, yellow inside, red outside.				

OS:4-10






<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.6	<i>rim (mm)</i>	4.85	<i>lip (mm)</i>	2.47
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Ambiguous as to which end of shard might be lip.				

OS:4-14

					
<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	11.4	<i>rim (mm)</i>	3.92	<i>lip (mm)</i>	3.49
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	Very acute rim-shoulder angle. 45mm segment good curve.				

OS:4-15

					
<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	2.3	<i>rim (mm)</i>	2.84	<i>lip (mm)</i>	1.88
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown			<i>surface treatment</i>	none
<i>comments</i>	30mm segment, good curve.				

OS:4-16



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	4.3	<i>rim (mm)</i>	5.04	<i>lip (mm)</i>	2.68
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	28mm segment, some curve. Gray mud adhering to external surface.				

OS:4-17



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.8	<i>rim (mm)</i>	5.96	<i>lip (mm)</i>	3.00
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	uneven
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	red
<i>comments</i>	20mm segment, no curve, apparent red surface layer outside. Conjoins with OS:4-18 immediately below.				

OS:4-18



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.7	<i>rim (mm)</i>	5.79	<i>lip (mm)</i>	3.03
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	uneven
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	red

<i>comments</i>	23mm segment. Conjoins with OS:4-17 immediately above				

OS:4-23



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	19.3	<i>rim (mm)</i>	4.45	<i>lip (mm)</i>	3.60
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 5/8 red			<i>surface treatment</i>	none

<i>comments</i>	58mm section good curve				
-----------------	-------------------------	--	--	--	--

OS:4-24



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	14.0	<i>rim (mm)</i>	5.62	<i>lip (mm)</i>	3.55
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	90° rim-lip angle, broken large flange. 15mm lip segment only.				

OS:4-25



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.5	<i>rim (mm)</i>	1.88	<i>lip (mm)</i>	2.80
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Fine-walled vessel, large flange. 21mm segment.				

OS:4-26



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.2	<i>rim (mm)</i>	5.56	<i>lip (mm)</i>	3.18
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	27mm segment, red inside only.				

OS:4-27



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.3	<i>rim (mm)</i>	5.95	<i>lip (mm)</i>	3.26
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>					

OS:4-28



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.6	<i>rim (mm)</i>	3.93	<i>lip (mm)</i>	2.60
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/2 grayish brown			<i>surface treatment</i>	none
<i>comments</i>	22mm segment only but pronounced curve.				

OS:4-29



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.6	<i>rim (mm)</i>	4.46	<i>lip (mm)</i>	3.50
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	30mm segment with minor curve.				

OS:4-30



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.2	<i>rim (mm)</i>	3.53	<i>lip (mm)</i>	2.43
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	13mm segment only.				

OS:4-31




<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.7	<i>rim (mm)</i>	5.45	<i>lip (mm)</i>	3.11
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 5/2 grayish brown			<i>surface treatment</i>	none
<i>comments</i>	17mm segment.				

OS:4-32






<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.7	<i>rim (mm)</i>	4.26	<i>lip (mm)</i>	2.38
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	25mm segment, slight curve only.				

OS:4-33






<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	flat	<i>rim direction</i>	unknown	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	3.43	<i>lip (mm)</i>	8.39
<i>fabric</i>	medium-coarse	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	26mm segment, broken and diagnosis unclear.				

OS:4-37

					
<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	16.6	<i>rim (mm)</i>	8.16	<i>lip (mm)</i>	4.76
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown			<i>surface treatment</i>	none
<i>comments</i>	43mm segment, very slight curve. Very rolled, weathered-like edges.				

OS:4-38


					
<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	6.0	<i>rim (mm)</i>	6.47	<i>lip (mm)</i>	3.24
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	22mm segment moderate curve, thick rim tapering to thin lip.				

OS:4-39



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.7	<i>rim (mm)</i>	4.50	<i>lip (mm)</i>	4.23
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5Y 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	15mm segment, possible very worn appliqué decoration.				

OS:4-40



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.9	<i>rim (mm)</i>	3.77	<i>lip (mm)</i>	2.71
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	7.5YR 7/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	Very small, out-rolled lip, uncommon red fabric.				

OS:4-46



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	6.5	<i>rim (mm)</i>	5.37	<i>lip (mm)</i>	3.58
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	25mm segment with slight curve, neck is limited making judgment of rim angle difficult.				

OS:4-47



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.5	<i>rim (mm)</i>	4.43	<i>lip (mm)</i>	2.30
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	20mm segment, yellow inside red outside.				

OS:4-48



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.7	<i>rim (mm)</i>	3.76	<i>lip (mm)</i>	2.32
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>					

OS:4-49



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	flat-horizontal	<i>rim direction</i>	outcurving	<i>vessel form</i>	restricted
<i>weight (gm)</i>	2.7	<i>rim (mm)</i>	4.80	<i>lip (mm)</i>	4.44
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>	Unique form, 13mm flat horizontal lip. Trace of yellow inside red outside.				

OS:4-60



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	10.2	<i>rim (mm)</i>	4.83	<i>lip (mm)</i>	3.42
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 5/2 grayish brown			<i>surface treatment</i>	none
<i>comments</i>	30mm section, large flange, out-rolled lip.				

OS:4-61



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	flat-horizontal	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	7.6	<i>rim (mm)</i>	5.47	<i>lip (mm)</i>	3.30
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	Broken, flat-horizontal rim-lip.				

OS:4-62



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.0	<i>rim (mm)</i>	3.73	<i>lip (mm)</i>	3.56
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 7/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	17mm segment, round out-rolled lip, apparent red surface inside.				

OS:4-63



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.1	<i>rim (mm)</i>	6.20	<i>lip (mm)</i>	3.53
<i>fabric</i>	fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/4 light brown			<i>surface treatment</i>	yes
<i>comments</i>	17mm segment, brown surface outside.				

OS:4-64



<i>shard type</i>	Rim			<i>spit</i>	4
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.5	<i>rim (mm)</i>	4.70	<i>lip (mm)</i>	2.31
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	red
<i>comments</i>	Apparent red surface outside.				

Spit 5

OS:5-01



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	7.3	<i>rim (mm)</i>	6.60	<i>lip (mm)</i>	4.01
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	32mm segment but no apparent curve.				

OS:5-02



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	9.2	<i>rim (mm)</i>	6.85	<i>lip (mm)</i>	3.71
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	10YR 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	Out-rolled lip, 29mm section, moderate curve.				

OS:5-03



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	4.7	<i>rim (mm)</i>	4.86	<i>lip (mm)</i>	2.88
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	36mm segment, slight outcurving angle at neck indicates restriction in vessel profile.				

OS:5-04



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	flat	<i>rim direction</i>	outcurving	<i>vessel form</i>	restricted
<i>weight (gm)</i>	2.6	<i>rim (mm)</i>	2.98	<i>lip (mm)</i>	4.89
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	5YR 7/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	23mm segment, slight curve confirming inside with apparent red surface.				

OS:5-05



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	2.6	<i>rim (mm)</i>	3.22	<i>lip (mm)</i>	2.15
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/6 light red			<i>surface treatment</i>	none
<i>comments</i>	29mm segment, minor curve. Fine-walled vessel.				

OS:5-06



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.5	<i>rim (mm)</i>	6.01	<i>lip (mm)</i>	3.57
<i>fabric</i>	medium-coarse	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	red
<i>comments</i>	Very thick rim tapering to lip, red outside.				

OS:5-07



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round-pointed	<i>rim direction</i>	incurving	<i>vessel form</i>	open
<i>weight (gm)</i>	1.9	<i>rim (mm)</i>	4.49	<i>lip (mm)</i>	5.37
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	Small rim segment but long shard showing considerable incurve.				

OS:5-12



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	flat	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	7.1	<i>rim (mm)</i>	4.77	<i>lip (mm)</i>	6.37
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 7/2 light gray			<i>surface treatment</i>	none
<i>comments</i>	16mm broken lip segment only, with significant curve at neck.				

OS:5-13



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	4.8	<i>rim (mm)</i>	5.02	<i>lip (mm)</i>	3.85
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	10mm lip segment only				

OS:5-14



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.6	<i>rim (mm)</i>	4.22	<i>lip (mm)</i>	2.99
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	yellow
<i>comments</i>	16mm segment, fine tapering lip. Apparent yellow surface outside.				

OS:5-15




<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	5.30	<i>lip (mm)</i>	2.94
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	Apparent red surface outside.				

OS:5-19



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	flat	<i>rim direction</i>	incurving	<i>vessel form</i>	open
<i>weight (gm)</i>	6.7	<i>rim (mm)</i>	5.22	<i>lip (mm)</i>	7.61
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	yes
<i>comments</i>	21mm segment no curve, probable dish or bowl. Apparent yellow surface outside, red inside.				

OS:5-20



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	direct	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.6	<i>rim (mm)</i>	5.80	<i>lip (mm)</i>	4.61
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	2.5YR 7/8 light red			<i>surface treatment</i>	red
<i>comments</i>	Apparent red surface layers.				

OS:5-21



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	4.0	<i>rim (mm)</i>	4.72	<i>lip (mm)</i>	2.94
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	7.5YR 6/6 reddish yellow			<i>surface treatment</i>	yes
<i>comments</i>	Out-rolled flat lip, 19mm segment with clear neck. Apparent red surface outside.				

OS:5-22



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.5	<i>rim (mm)</i>	3.33	<i>lip (mm)</i>	1.75
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	Fine out-rolled lip, apparent red surface layer inside.				

OS:5-23



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	3.7	<i>rim (mm)</i>	4.96	<i>lip (mm)</i>	4.73
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 7/6 reddish yellow			<i>surface treatment</i>	red
<i>comments</i>	Rim-shoulder shard, 15mm lip segment, no curve. Consistent red surface layer.				

OS:5-30



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	20.7	<i>rim (mm)</i>	3.70	<i>lip (mm)</i>	2.72
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	60mm segment and significant curve, out-rolled lip.				

OS:5-31



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	10.4	<i>rim (mm)</i>	5.69	<i>lip (mm)</i>	3.56
<i>fabric</i>	medium-coarse	<i>preservation</i>	very worn	<i>firing</i>	uneven
<i>Munsell color</i>	2.5YR 6/8 light red			<i>surface treatment</i>	none
<i>comments</i>	30mm segment no curve, large flange-like rim.				

OS:5-32



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.0	<i>rim (mm)</i>	5.95	<i>lip (mm)</i>	3.37
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	7.5YR 6/4 light brown			<i>surface treatment</i>	none
<i>comments</i>	Out-rolled lip large flange, 20mm segment.				

OS:5-33



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	4.4	<i>rim (mm)</i>	7.45	<i>lip (mm)</i>	2.99
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	Similar/match with OS:5-32 above.				

OS:5-34



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	pointed	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	3.1	<i>rim (mm)</i>	3.49	<i>lip (mm)</i>	2.52
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	uneven
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	23mm segment no curve				

OS:5-35



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.5	<i>rim (mm)</i>	4.38	<i>lip (mm)</i>	3.12
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	2.5Y 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>					

OS:5-36



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round-pointed	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	0.6	<i>rim (mm)</i>	5.12	<i>lip (mm)</i>	2.78
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/4 light reddish brown			<i>surface treatment</i>	yellow
<i>comments</i>	Sharp, definite shoulder tapering to fine lip—unique. Apparent yellow-brown surface layer .				

OS:5-37



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round-pointed	<i>rim direction</i>	incurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	7.7	<i>rim (mm)</i>	6.34	<i>lip (mm)</i>	6.14
<i>fabric</i>	medium	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	37mm some curve, thick-walled vessel, probable bowl.				

OS:5-38



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	flat	<i>rim direction</i>	incurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	5.7	<i>rim (mm)</i>	6.00	<i>lip (mm)</i>	5.16
<i>fabric</i>	medium-coarse	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/2 light brownish gray			<i>surface treatment</i>	none
<i>comments</i>	25mm segment, slight curve, probable open vessel/bowl.				

OS:5-39



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	flat	<i>rim direction</i>	incurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.3	<i>rim (mm)</i>	4.18	<i>lip (mm)</i>	6.64
<i>fabric</i>	fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	20mm segment without curve. Rough form especially inside.				

OS:5-40



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	restricted
<i>weight (gm)</i>	1.5	<i>rim (mm)</i>	5.90	<i>lip (mm)</i>	4.97
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/3 light reddish brown			<i>surface treatment</i>	dark red
<i>comments</i>	21mm segment with curve of lip suggesting a horizontal orientation, globular vessel without neck. Unique dark red surface outside.				

OS:5-49



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	5.5	<i>rim (mm)</i>	3.06	<i>lip (mm)</i>	2.23
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/3 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	42mm segment, notable curve.				

OS:5-50



<i>shard type</i>	Rim			<i>spit</i>	5
<i>lip profile</i>	round	<i>rim direction</i>	outcurving	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.2	<i>rim (mm)</i>	5.47	<i>lip (mm)</i>	3.53
<i>fabric</i>	medium-fine	<i>preservation</i>	average	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	out-rolled lip, 13mm segment.				


Spit 6

OS:6-01



<i>shard type</i>	Rim			<i>spit</i>	6
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	8.1	<i>rim (mm)</i>	5.60	<i>lip (mm)</i>	3.01
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/4 light yellowish brown			<i>surface treatment</i>	none
<i>comments</i>	35mm segment, slight curve.				

OS:6-06



<i>shard type</i>	Rim			<i>spit</i>	6
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	1.9	<i>rim (mm)</i>	3.41	<i>lip (mm)</i>	2.28
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 6/3 pale brown			<i>surface treatment</i>	none
<i>comments</i>	Apparent red surface outside.				

OS:6-08



<i>shard type</i>	Rim			<i>spit</i>	6
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	11.3	<i>rim (mm)</i>	4.76	<i>lip (mm)</i>	3.60
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	uneven
<i>Munsell color</i>	2.5YR 7/6 light red			<i>surface treatment</i>	none
<i>comments</i>	Out-rolled lip, 35mm segment, slight curve.				

OS:6-09



<i>shard type</i>	Rim			<i>spit</i>	6
<i>lip profile</i>	pointed	<i>rim direction</i>	everted	<i>vessel form</i>	restricted
<i>weight (gm)</i>	9.7	<i>rim (mm)</i>	4.36	<i>lip (mm)</i>	3.10
<i>fabric</i>	medium	<i>preservation</i>	very worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	none
<i>comments</i>	27mm segment, irregular curve.				

OS:6-10



<i>shard type</i>	Rim			<i>spit</i>	6
<i>lip profile</i>	pointed	<i>rim direction</i>	inverted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	2.5	<i>rim (mm)</i>	4.65	<i>lip (mm)</i>	3.96
<i>fabric</i>	medium	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	10YR 7/4 very pale brown			<i>surface treatment</i>	yellow
<i>comments</i>	Carination very close to lip, apparent yellow surface outside. Probable open vessel/bowl.				

OS:6-11



<i>shard type</i>	Rim			<i>spit</i>	6
<i>lip profile</i>	round	<i>rim direction</i>	everted	<i>vessel form</i>	unknown
<i>weight (gm)</i>	1.1	<i>rim (mm)</i>	3.11	<i>lip (mm)</i>	2.57
<i>fabric</i>	medium-fine	<i>preservation</i>	worn	<i>firing</i>	even
<i>Munsell color</i>	5YR 6/6 reddish yellow			<i>surface treatment</i>	none
<i>comments</i>					